


Patient Education Section: Animal Handling

- Never approach a cow from directly behind it—talk to it softly and touch it gently as you approach.
- Proper lighting in cattle facilities is imperative—cattle will balk at shadows.
- Move cattle toward lighted areas, not dark areas.
- If working cattle at night, use frosted lamps that do not glare in the animals' faces. Position these lights in the area where you are moving cattle such as a trailer or barn.
- Understand a cow's flight zone and use their response to you to move them where you want them to go. The flight zone is an animal's personal space. When a person penetrates the flight zone, the animal will move, and conversely when you retreat from the flight zone the animal will stop moving. Work at the edge of the flight zone at a 45 to 60 degree angle behind the animal's shoulder. Cattle will circle away from you. The flight zone radius can range from 5 to over 25 feet for feedlot cattle and as far as 300 feet for range cattle.
- Cattle are more comfortable and are more easily moved when they are in a group rather than alone. In crowded pens, consider handling cattle in small groups—up to 10 head. The cattle need room to turn. Use their instinctive following behavior to fill the chute. Wait until the single chute is almost empty before refilling. A crowding gate is used to follow the cattle, not to shove up against them. If a lone animal refuses to move, release it and bring it back with another group. An animal left alone in a crowding pen may become agitated and attempt to jump the fence to rejoin the herd.
- Facilities should be properly designed and maintained for safe animal handling.



Photographs from www.usda.gov

Beef Herd Management Reference Binder and Study Guide 807-1

[http://www1.agric.gov.ab.ca/\\$department/deptdocs.nsf/all/eng1741](http://www1.agric.gov.ab.ca/$department/deptdocs.nsf/all/eng1741)

Copyright 2001-2005 by The Crown, Government of Alberta, Canada

Patient Education—Animal Handling

Edikasyon pou moun k ap chèche swen: Travay ak bèt

- Pa janm pwoche yon bèf pa deyè—pale dousman avè l, mete men ou sou li dousman pandan w ap pwoche
- Fòk pak bèf la gen limyè ase; Yon lonbraj ka fè yon bèf pantan. Fè sèten genyen limyè nan direksyin ou vle bèf yo ale.
- Lè w ap travay ak bèf yo lanwit, sèvi ak lanp ki gen lonbraj, pou pa vegle bèf yo. Mete limyè kote w ap deplase bèf yo, tan-kou gwo kamyon oubyen pak la.
- Fòk nou konprann kijan bèf yo reyaji, pou ou ka deplase yo kote ou vle. Chak bèf gen yon sèten espas alantou l. Lè yon moun antre andan espas sa, bèf la deplase; lè yon moun soti deyò espas sa, bèf la rete. Pou deplase bèf la, apwoche l yon ti jan deyè zepòl bèf la. Bèf yo pral tounen nan yon sèk. Distans lan kapab genyen 5 a 25 pye pou bèf ki rete nan pak. Distans lan kapab vini a 300 pye pou bèf ki rete deyò.
- Bèf pi alèz lè yo an gwoup nan yon pak. Lè sa, li pi fasil pou pouse yo. Lè yo kwense nan pak, pito deplase yo pa gwoup ki ka gen jiskaske 10 bèf ladann. Bèf bezwen ase spas pou vire. Pou pouse yo nan “chute” (chout la, saveldi, espas kote bèf yo pase) sonje, youn vle swiv lòt, se konsa yo ye. Tann jiske “chute” (chout) la preske vid avan ou mete lòt bèf andan. Yo sèvi avèk yon kalite baryè ki rele “crowding gate” (krawding gayt) pou fè bèf yo avanse. Baryè sa mache dèyè bèf yo, men pa pouse yo avec li. Si yon grenn bèf refize deplase, kite l rete ak bèf ki pa ap ale, epi eseye fè li ale avèk yon lòt gwoup. Pa kite li pou lont-li na yon “crowding pen” (krawding pènn) gen dwa ajite, jiskaske li esseye vole baryè-a pou jwenn bann la.



Photographs from www.usda.gov

Sección de educación al paciente: trabajando con ganado

- Nunca se acerque a una vaca por atrás. Háblele suave y tóquela suavemente al acercarse.
- Tener luz adecuada en los lugares con ganado es imperativo. El ganado se resiste al ver sombras.
- Mueva el ganado hacia lugares iluminados, no hacia lugares oscuros.
- Al trabajar con vacas de noche, use lámparas opacas, que no brillen en las caras de los animales. Coloque las lámparas para que ilumine al área donde están las vacas como en un trailer o una bodega.
- Localice el área de fuga de una vaca y use su reacción para poder moverla en la dirección deseada. El área de fuga es el espacio personal de una vaca. Al entrar una persona a este espacio, el animal se va a mover. Al salir la persona del área de fuga, la vaca dejará de moverse. Trate de trabajar en la orilla del área de fuga a un ángulo de 45 a 60 grados atrás del hombro de la vaca. La vaca va a dar una vuelta alejándose de uno. El tamaño (ancho) del área de fuga es de 5 a 25 pies para el ganado de granja y puede llegar a ser 300 pies para el ganado de pradera.
- El ganado está más cómodo y puede ser movido con más facilidad si está en un grupo que al estar aislado. En los corrales donde se amontonan, trate de manejar los animales en grupos pequeños – hasta 10 cabezas por grupo. El ganado necesita lugar para poder dar vuelta. Aproveche de su instinto de seguir para llenar el corredor. Espere hasta que el corredor está casi vacío antes de comenzar a llenarlo de nuevo. Un Portón Movable (*CROWD GATE*), sirve para seguir las vacas, no para empujarlas. Si un animal solo no se mueve, suéltelo y permítale regresar con otro grupo. Un animal aislado en un corral pequeño puede agitarse e intentar saltar la cerca para regresar al grupo.
- Los lugares donde se maneja ganado deben ser bien diseñados y mantenidos para poder manejar los animales con seguridad.



Photographs from www.usda.gov