<u>Is the vaccine safe</u> for me and my baby? What has changed over time?

- Early in the pandemic, we didn't know the effects of the vaccine on pregnant women and their babies.
- Now, we have lots of data, and we can confidently say: the COVID-19 vaccines are very safe for you and your baby!
- As of February 2022, more than 200,000 pregnant women have been vaccinated against COVID-19.
- There have been no reports of any increased risk of pregnancy loss, growth problems, or birth defects.
- COVID-19 vaccines are not live vaccines, and pregnant women and their babies cannot get COVID-19 from the vaccine.

In fact, the real risk is when a pregnant woman chooses NOT to get vaccinated.

Women who become ill with COVID-19 and have symptoms during pregnancy:

- Are more likely to get very sick from COVID-19 compared those who are not pregnant.
- Are more likely to need ICU care.
- Are more likely to need a breathing tube.
- Are at an increased risk of dying.
- Are at an increased risk of having a stillbirth or preterm birth.
- Are at an increased risk of having a baby infected with COVID-19.

HOW DO I GET A COVID-19 VACCINE?

- Contact your local health department to make an appointment or ask them where mobile vaccine clinics are located.
- ✓ Talk to your OB/GYN.
- Check with your local pharmacy. They will likely offer vaccines.
- Contact your local community health center to make an appointment.
- ✓ **Speak with your employer** about getting a COVID-19 vaccine. They may be helpful in making arrangements to get a vaccine.
- Check to see whether vaccines are offered for free at your state or local health department or local pharmacy. Check to see if fees can be waived.

FOR MORE INFORMATION

Visit Centers for Disease Control and Prevention: www.cdc.gov/coronavirus/2019-ncov/index.html





For answers to Frequently Asked Questions, visit **Migrant Clinicians Network** (MCN): https://bit.ly/3ki1xAl





Information last revised: August 18, 2022



Pregnancy and the COVID-19 Vaccine

- ✓ GET VACCINATED!
- Wear a mask
- Social distance
- ✓ Wash your hands

COVID-19 Vaccine Awareness Campaign

COVID-19 VACCINES ARE SAFE AND EFFECTIVE



Types of vaccines available in the US:


- Pfizer
- Moderna
- Johnson & Johnson (J&J)
- Novavax



Get your initial doses now. Full protection kicks in after about two weeks. One or more boosters may be needed several months after completing your initial doses depending on your age, vaccine received, and other factors.

RECOMMENDATIONS

- + Get vaccinated. Get Boosted.
- + Get your family vaccinated and boosted.
- + Wear a mask when indoors even when you are up to date on your vaccines. Wear a mask in crowded outdoor settings.
- + If you are up to date on your vaccines and are exposed to COVID-19:
 - If you have symptoms: Test immediately. If you have a negative test, test again in 48 hours.
 - If you do not have symptoms: Test at least 5 days after exposure. If you have a negative test, test again after 48 hours, and then again after another 48 hours if your second results are negative. Get medical advice if you think you are ill.
- + For women who are pregnant, breastfeeding, or trying to get pregnant, vaccines are critical for keeping moms and their babies healthy.



+ For women between 18-60 years old, we recommend getting Pfizer or Moderna.

WHAT TO KNOW WHEN **GETTING THE COVID VACCINE**



It is important to get vaccinated, even if you have had COVID-19.



It does NOT require any form of identification.



There are various types of vaccines. All vaccines against COVID-19 are safe and effective.



After vaccination you may experience: arm pain, headache, fever, or chills.



You will feel better a few days after your injection.



You are considered fully vaccinated two weeks after your final dose.



Continue to wear a mask in crowded indoor spaces and wash your hands.



You did your part to protect yourself and others from COVID-19!



BENEFITS OF VACCINATION

- √ Vaccination protects you, your family, your children, and your co-workers from becoming seriously ill and being hospitalized.
- Vaccination decreases risks for moms and their babies.
- Vaccination decreases the number of new, severe and deadly COVID-19 cases in your community.
- Vaccination protects hospitals and healthcare providers from being overwhelmed with patients severely ill with COVID-19.
- ✓ The more people vaccinated in our community, the less we need to worry about new variants.

RISKS FOR UNVACCINATED

- X Higher risk of COVID-19 infection.
- X Higher risk of serious infection, hospitalization, and death.
- X Higher risk of being exposed to new mutations that are more contagious and dangerous.