

Why should we vaccinate children?

Some children get very sick from coronavirus. COVID-19 is a leading cause of death in children. It is #1 in deaths caused by infections/respiratory diseases. Thousands of children have been hospitalized for COVID. Most were not vaccinated. About 1/3 had no preexisting condition like diabetes or obesity.

Most children don't become as sick as adults, **but they can still spread it.** COVID-19 vaccines prevent grandparents, younger siblings, and others from severe disease, hospitalization, and death.

Getting kids vaccinated helps **prevent outbreaks that cause school closures.**

Is the vaccine safe for children?

As of June 2022, 8.5 million children under 12 have been fully vaccinated in the US (that is 30% of that population in the US). Nearly 60% of children 12-17 are fully vaccinated. Not one child has died due to the vaccine.

Risks from COVID-19 greatly outweigh any potential risks from the vaccine.

How do we keep children under six months old safe?

Currently, there is not an approved COVID-19 vaccine for children under 6 months old. But you can protect children from being infected and spreading the virus to others.

- + Ensure all household members aged 6+ months are vaccinated.
- + Breastfeeding moms can get vaccinated to help pass antibodies to their baby.
- + Encourage **indoor masking wearing** and **social distancing** especially among the unvaccinated.
- + Wash hands.

HOW CAN I GET MY CHILD A COVID-19 VACCINE?

- ✓ **Contact your local health department to make an appointment** or ask them where mobile vaccine clinics are located.
- ✓ **Contact your local community health center to make an appointment.**
- ✓ **Ask your child's pediatrician** if they offer COVID-19 vaccines.
- ✓ **Check with your local pharmacy.** They will likely offer vaccines.
- ✓ **Speak with your child's school** about getting a COVID-19 vaccine. They may offer in-school vaccine clinics.
- ✓ In some places, parents are required to be present when their child is vaccinated. Look for after-hour and pop-up clinics to make it easier for working parents.

FOR MORE INFORMATION

Visit Centers for Disease Control and Prevention:
www.cdc.gov/coronavirus/2019-ncov/index.html



For answers to Frequently Asked Questions, visit **Migrant Clinicians Network (MCN)**:
<https://bit.ly/3ki1xAI>



Children and the COVID-19 Vaccine

- ✓ **GET VACCINATED!**
- ✓ **Wear a mask**
- ✓ **Social distancing**
- ✓ **Wash your hands**

COVID-19 Vaccine Awareness Campaign

Updated: July 11, 2022



COVID-19 VACCINES FOR CHILDREN

- **Children 6 mos. to 4 yrs:** 3 doses for Pfizer, 2 doses for Moderna. No booster at this time.*
- **Children 5+:** 2 doses. Pfizer, 1 booster.*
- **Immunocompromised children:**
5-11: 3 doses, plus one booster.
12-17: 3 doses plus 2 boosters.
- **Spacing between doses varies, but for boys 12-17:** 2 doses, 8 weeks apart.** Visit the CDC's page for spacing: <https://bit.ly/3zcBgwT>

*Moderna's booster for both age groups is expected soon.

** The CDC recommends this altered schedule to reduce the very small risk of myocarditis among adolescent boys.

HOW TO PROTECT YOUR CHILDREN


- + Get vaccinated and get your children who are 6 months and older vaccinated.
- + Wear a mask when indoors even when you are up to date on your vaccines.
- + If your child is up to date on their vaccination and is exposed to COVID-19, the child does not need to quarantine. Get them tested 5-7 days after exposure.



For women:

- + For women of any age who are pregnant, breastfeeding, or trying to get pregnant, vaccines are critical for keeping moms and their babies healthy.
- + For adults and teens between 18-60 years old, we recommend getting Pfizer or Moderna.

WHAT TO EXPECT AFTER CHILDREN ARE VACCINATED?



It is important for children to get vaccinated, even if they've had COVID-19.



It is completely FREE and does NOT require any form of identification.




The COVID-19 vaccine is safe and effective for children.




After vaccination kids may experience: arm pain, headache, fever, or chills.



They feel better a few days after the injection.



Kids are considered fully vaccinated two weeks after their final dose.



Continue to wear a mask in crowded indoor spaces and wash your hands.



Getting vaccinated helps protect kids and others from getting very sick from COVID-19!



BENEFITS OF VACCINATION

- ✓ Vaccination protects children and their families from becoming seriously ill and being hospitalized.
- ✓ Vaccination decreases the number of severe and deadly COVID-19 cases in your community.
- ✓ Vaccination protects hospitals and clinicians from being overwhelmed with severely ill COVID-19 patients.
- ✓ The more vaccinated individuals in our community, the less we need to worry about new variants.
- ✓ Children can return to normal activities sooner if more people get vaccinated.

RISKS FOR UNVACCINATED

- ✗ Higher risk of COVID-19 infection.
- ✗ Higher risk of serious infection, hospitalization, and death.
- ✗ Higher risk of developing long-term symptoms of COVID-19 if infected.
- ✗ Higher risk of being exposed to new forms of the virus that are more contagious and dangerous.